

Fingerstrips 2000


For military applications / clip-on, snap-on and stick-on fingerstrips

For high performance applications, Beryllium Copper fingerstrips offer the best EMI shielding effectiveness, used in the right construction. The mechanical spring characteristics far surpass all other gaskets in the industry, but due to the toxicity of beryllium these strips are not always allowed. Therefore many shapes are also available in stainless steel. The contact of the Beryllium copper fingerstrip tolerates a wiping or sliding action, so it is ideal for applications where frequent opening and closing operations are likely. The product comes in a wide range of profiles (see www.fingerstrips.com) and is also available in various plated versions.

Standard length of 406 mm; some shapes also in 610 mm or on rolls.


2100 - Clip-on mounting series

For applications where a small dynamic range is required and a clip-on mounting is preferred




Clip on 2102

Part Number	A	B	C	D	E	F	G	H
2102-01	11,4	2,5	6,9	1,0	3,6	406	4,8	3,6
2102-02	11,4	2,5	6,4	1,5	4,1	406	4,8	3,6
2102-03	11,4	2,5	5,8	2,0	4,6	406	4,8	3,6
2102-04	11,4	2,5	6,6	1,3	3,9	457	4,8	3,8
2102-05	11,4	2,5	6,1	1,8	4,4	457	4,8	3,8
2102-06	11,9	3,0	5,1	2,0	2,7	457	4,8	3,8



Clip on 2103

Part Number	A	B	C	D	E	F	G	H
2103-01	27,8	5,5	6,0	3,4	8,1	406	9,5	8,7
2103-02	27,7	6,6	6,6	2,3	8,9	457	9,5	8,5
2103-03	27,7	6,6	6,6	3,2	9,8	457	9,5	8,5




Clip on 2105

Part Number	A	B	C	D	F	G	H
2105-01	6,9	0,8	7,1	2,3	406	6,4	5,6
2105-02	6,9	1,0	7,1	2,5	406	6,4	5,6
2105-03	7,1	0,8	6,9	2,3	406	6,4	5,6
2105-04	7,1	1,0	6,9	2,5	406	6,4	5,6
2105-05	7,6	1,0	5,4	2,5	406	4,6	3,5
2105-06	7,8	0,8	4,8	3,8	406	4,8	3,6
2105-07	7,8	1,0	4,8	4,0	406	4,8	3,6
2105-08	7,8	1,5	4,8	4,5	406	4,8	3,6
2105-09	7,9	1,3	-	3,8	406	4,6	3,4
2105-10	7,9	1,5	-	4,0	406	4,6	3,4
2105-11	10,7	0,8	4,5	4,4	406	4,8	3,6
2105-12	10,7	1,5	4,5	5,1	406	4,8	3,6
2105-13	10,7	1,0	-	3,0	406	4,8	3,6
2105-14	10,7	1,3	-	3,3	406	4,8	3,6
2105-15	10,7	1,5	-	3,5	406	4,8	3,6
2105-16	15,2	1,0	-	5,2	406	4,6	3,4
2105-17	15,2	1,5	-	5,2	406	4,6	3,4
2105-18	15,6	0,8	4,8	5,1	406	4,8	3,6
2105-19	15,6	1,0	4,8	5,3	406	4,8	3,6
2105-20	15,6	1,5	4,8	5,8	406	4,8	3,6


2200 - Snap-on mounting series

Mounting through holes in your construction. You can mount by pushing into position.



Snap on 2202

Part Number	A	B	F	G	H
2202-02	9,6	2,8	381	4,8	4,3
2202-04	13,0	3,6	381	4,8	4,3
2202-05	19,3	5,6	381	9,6	8,8




Snap on 2203

Part Number	A	B	C	F	G	H
2303-01	7,6	1,9	3,3	406	4,8	4,3
2303-02	8,1	-	2,5	406	4,8	4,2
2303-03	8,1	-	2,8	406	4,8	4,3
2303-06	9,4	-	3,3	400	6,4	5,7
2303-08	15,3	3,6	5,6	400	7,3	6,4
2303-09	15,3	-	5,6	400	9,5	8,7
2303-10	20,3	-	8,1	400	9,5	8,7

2300 - Stick-on mounting series


Mounting with self-adhesive

2301 - 2303 Stick-on mounting for gaps from 0 to 3 mm




Stick on 2301

Part Number	A	B	C	F	G	H
2301-01	7,1	2,8	4,6	610	4,8	4,3
2301-02	7,9	3,0	4,3	457	4,8	4,3
2301-03	8,1	2,8	5,3	406	4,8	4,3
2301-04	8,2	2,7	5,7	406	4,8	4,3



Stick on 2302


Part Number	A	B	C	F	G	H
2302-01	7,1	2,8	5,8	406	4,8	4,3



Stick on 2303


Part Number	A	B	F	G	H
2303-01	6,4	2,3	406	4,8	4,3
2303-02	9,7	3,0	406	4,8	4,3
2303-03	13,0	3,8	406	6,4	5,8
2303-04	19,0	4,8	610	9,5	8,8
2303-05	19,3	5,8	610	8,7	9,5

2331 - 2334 Stick-on mounting for gaps from 3 to 6 mm



Stick on 2331

Part Number	A	B	C	F	G	H
2331-01	7,1	2,8	5,8	406	4,8	4,3
2331-05	19,3	6,4	11,9	610	9,5	8,5



Stick on 2334


Part Number	A	B	C	F	G	H
2334-04	9,4	3,3	5,3	406	6,3	5,7

Fingerstrips 2000

For military applications / stick-on, twisted and angled fingerstrips


For dimensions and more types of fingerstrips please take a look at www.fingerstrips.com or contact us by mail or phone

2362 - 2365 Stick-on mounting for gaps from 6 to 11 mm




Stick on 2362

Part Number	A	B	C	F	G	H
2362-01	7,1	2,8	5,8	406	4,8	4,3




Stick on 2363

Part Number	A	B	C	D	F	G	H
2363-02	10,7	4,3	5,6	1,3	406	6,3	5,7
2363-03	10,7	4,6	5,6	1,5	508	6,3	5,7
2363-05	16,3	7,0	5,6	1,5	457	9,5	8,7



Stick on 2364

Part Number	A	B	C	F	G	H
2364-03	19,8	8,1	11,2	457	9,5	8,7
2364-04	27,9	10,2	19,8	457	12,7	11,7




Stick on 2365

Part Number	A	B	F	G	H
2365-01	18,7	6,8	610	9,5	8,5
2365-02	19,8	6,4	610	9,5	8,5
2365-03	29,0	12,0	610	12,7	11,7


2400 - Twisted series 0.2 - 1.8 mm

For small gaps and screwed applications




Twisted 2401

Part Number	A	B	C	F	G	H
2401-01	12,5	1,6	4,8	610	4,2	3,7
2401-02	12,7	1,8	4,8	610	4,2	3,8




Twisted 2402

Part Number	A	B	F	G	H
2402-01	5,8	0,8	610	2,4	2,0
2402-02	8,6	1,6	610	4,2	3,7
2402-03	12,7	3,1	610	6,0	5,4



Twisted 2403

Part Number	A	B	C	D	F	G	H
2403-01	3,6	2,0	0,8	0,08	610	2,4	2,0
2403-02	3,6	2,2	0,7	0,08	610	2,4	2,0
2403-03	4,6	4,0	1,8	0,08	610	4,2	3,8
2403-04	4,8	3,8	1,8	0,08	610	4,2	3,8




Twisted 2404

Part Number	A	B	C	D	F	G	H
2404-01	3,8	1,0	3,0	0,8	406	2,4	2,0
2404-02	3,8	1,5	2,5	0,8	406	2,4	2,0
2404-03	4,1	1,0	4,0	0,8	406	2,4	2,0
2404-04	4,1	1,5	3,5	0,8	406	2,4	2,0
2404-05	4,8	1,0	3,3	1,8	406	4,5	3,8
2404-06	4,8	1,5	3,0	1,8	406	4,5	3,8
2404-07	4,8	2,0	2,8	1,8	406	4,5	3,8
2404-08	5,8	1,0	4,0	0,8	406	4,2	3,8
2404-09	5,8	1,5	3,5	1,8	406	4,2	3,8
2404-10	6,4	1,0	5,1	1,8	406	4,2	3,8
2404-11	6,4	1,5	4,6	1,8	406	4,2	3,8
2404-12	6,4	2,0	4,1	1,8	406	4,2	3,8


2500 - Angle series 4.8 - 10.3 mm

For use under 90° mounting




Angle Fingerstrips 2501

Part Number	A	B	C	Ø	E	F	G	H
2501-01	13,5	19,8	6,4	3,6	14,3	406	9,5	8,5
2501-02	19,5	28,7	10,3	3,6	14,3	406	12,7	11,7



Angle Fingerstrips 2502

Part Number	A	B	C	Ø	E	F	G	H
2502-1	6,1	7,1	2,8	1,5	2,0	406	4,8	4,3
2502-2	7,8	9,4	3,8	1,6	2,4	406	6,2	5,8
2502-3	12,7	15,2	5,8	2,0	7,9	406	9,5	8,7




Angle Fingerparts 2504 (short pieces)

Part Number	A	B	C	Ø	F	G	H
2504-01	8,0	4,0	7,0	2,6	8,4	4,8	3,6
2504-02	8,0	4,0	3,0	2,6	5,0	4,8	3,6
2504-03	8,2	3,5	7,0	2,6	8,4	4,8	3,6
2504-04	8,2	3,5	3,0	2,6	5,0	4,8	3,6



Fingerstrips 2000




Angle Fingerparts 2505 (short pieces)

Part Number	A	B	C	D	Ø	E	G	H
2505-01	18,7	10,0	3,0	10	2,6	7,0	8,5	5,0
2505-02	17,7	10,0	-	10	3,6	4,0	8,5	-


Fingerstrips 2000

For military applications / circular, contact and door fingerstrips




2600 - Curcular series 0.8 - 6 mm gap

For round contacts




Circular Finger 2601

Part Number	A	B	C	D	F	G	H
2601-01	8,7	1,0	-	-	406	1,5	1,0
2601-02	9,5	1,0	1,2r	-	500	1,5	1,0
2601-03	9,7	1,3	-	-	406	1,9	1,3
2601-04	13,5	1,3	-	-	406	1,9	1,3
2601-05	14,0	1,1	1,5r	1,5r	500	4,0	3,0
2601-06	14,1	0,8	2,0r	-	500	2,0	1,5
2601-07	18,5	1,1	1,5r	1,5r	500	4,0	3,0
2601-08	19,1	3,1	-	-	406	4,8	3,6
2601-09	22,6	3,0	-	-	406	4,8	3,6
2601-10	30,0	3,0	2,5r	-	500	4,0	3,0




Circular Finger 2602

Part Number	A	B	C	D	E	F	G	H
2602-01	9,2	1,0	1,2r	2,5	3,6	500	1,5	1,0
2602-02	13,8	1,1	1,5r	-	8,0	500	4,0	3,0
2602-03	13,9	0,8	2,0r	3,0	6,0	500	2,0	1,5
2602-04	18,3	1,1	1,5r	-	8,0	500	4,0	3,0
2602-05	27,4	3,0	2,5r	11,0	10,0	500	4,0	3,0




Circular Finger 2603

Part Number	A	B	C	D	F	G	H
2603-01	5,5	1,0	3,9	2,1	500	2,0	1,5
2603-02	7,8	0,8	6,0	2,5	500	1,5	1,0
2603-03	11,0	1,1	8,0	-	500	4,0	3,0



Circular Finger 2604

Part Number	A	B	C	D	F	G	H
2604-01	4,8	2,3	4,1	-	406	1,5	1,0
2604-02	6,6	2,8	5,8	-	406	1,9	1,3
2604-03	7,0	0,8	6,5	2,6	500	1,5	1,0
2604-04	9,1	1,1	7,7	4,5	500	4,0	3,0
2604-05	11,2	-	8,2	4,1	406	2,4	1,6
2604-06	11,5	1,1	9,8	4,5	500	3,0	3,0




Circular Finger 2605

Part Number	A	B	C	D	F	G	H
2605-01	7,0	0,8	5,5	4,9	500	2,0	1,5
2605-02	9,5	1,1	6,4	7,0	500	4,0	3,0
2605-03	12,0	1,1	8,4	8,0	500	4,0	3,0


2700 - Contact series 1.3 - 10.4 mm gap

Contact strips with a dynamic range




Contact Finger 2701

Part Number	A	B	C	D	F	G	H
2701-01	24,5	6,5	8,0	17,0	500	4,0	3,0
2701-02	27,7	6,6	-	-	10m	9,5	8,7
2701-03	42,4	10,4	-	-	7m	12,7	11,7




Contact Finger 2702

Part Number	A	B	C	F	G	H
2702-01	3,3	1,8	2,5	304	1,5	1,0
2702-02	3,3	2,3	2,5	304	3,2	2,0
2702-03	7,1	3,3	6,4	406	3,4	2,3
2702-04	7,1	3,3	6,4	406	3,7	2,8
2702-05	7,1	5,1	4,8	406	3,4	2,3
2702-06	9,7	4,8	7,3	406	4,8	3,6
2702-07	12,2	7,1	8,9	406	4,8	3,2
2702-08	16,0	11,2	10,4	406	3,4	2,2




Contact Finger 2703

Part Number	A	B	C	D	F	G	H
2703-01	5,0	2,6	6,5	-	406	1,5	0,5



Contact Finger 2704

Part Number	A	B	C	F	G	H
2704-01	30,0	3,0	25,0	500	4,0	3,0




Contact Finger 2705

Part Number	A	B	C	D	E	F	G	H
2705-01	29,1	3,0	10,0	23,5	7,0	500	4,0	3,0
2705-02	27,5	3,0	10,0	22,0	9,0	500	4,0	3,0


2800 - Doorstrips 6.4 - 10.3 mm gap

Fingerstrips used for shielding doors



Door Finger 2801

Part Number	A	B	C	Ø	F	G	H
2801-01	27,7	6,4	0,1	3,6	503	9,5	8,5
2801-02	39,5	10,3	0,2	3,6	503	12,7	11,7



Door Finger 2802

Part Number	A	B	C	Ø	F	G	H
2802-01	25,7	6,4	2,0	3,6	503	9,5	8,5

